



CERTIFICATE OF CONSTANCY OF PERFORMANCE

2344 – CPR – 0007

In compliance the Regulation 305/2011/EU of the Council of European Communities of 09 March 2011 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Regulation - CPR)

EN 40-6

Aluminium Lighting Columns

placed on the market by

ASAŞ ALÜMİNYUM SANAYİ VE TİCARET A.Ş.
and produced in the factory

Küçücek İstiklal Mah. Kışla Alanı Cad. No: 2-2/1, 54400
Akyazı – Sakarya / TÜRKİYE


is submitted by the manufacturer to the initial type-testing of the product, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body – **BVA BELGELENDİRME** - has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control according to 2406-1011-ÇÜ audit report.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in the ETA or Annex ZA of the standard (*resp. in*)

EN 40-6:2002

This certificate remains valid with the following dates as long as the conditions laid down in the harmonized technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Initial Certificate Date : 28/06/2013
Issue Date : 18/07/2024
Certification Period Expiry Date : 19/07/2028
Certificate Expiry Date : 19/07/2025



BvA Authorized
İstanbul, 18/07/2024



Ürün
TS EN ISO/IEC 17065
AB-0028-U

This certificate remains the property of BvA Belgelendirme ve Dış Tic. Ltd. Şti. and must be returned on request. And it is valid unless the periodical surveillances audits result acceptable in accordance with the relevant standard. For detailed information please contact the certification manager.

Gayrettepe Mah. Yıldız Posta Cad. Akın Sitesi 1. Blok No: 6 Kat: 4 Daire: 9 Beşiktaş 34349 İstanbul Türkiye

TEL: +90 212-347 0865 FAX: +90 212 273 2829 e-mail: info@bva.tc web: www.bva.tc



CERTIFICATE OF CONSTANCY OF PERFORMANCE

2344 – CPR – 0007

SYSTEM 1

In compliance the Regulation 305/2011/EU of the Council of European Communities of 09 March 2011 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Regulation - CPR)

Products

| Product Series* | Types* | Anchor Leg Type | Reference Wind Velocity** (m/s) | Terrain category** | Load on the column top** | | Deflection class** | Partial load factor class |
|--|-------------------|--------------------|---------------------------------|--------------------|-----------------------------|-------------|--------------------|---------------------------|
| | | | | | Wind area (m ²) | Weight (kg) | | |
| Basic2 Series Single Bracket-9m/ Bracket:2500 | ADBS29013550T250 | AAS30020K 1145050 | 30 | 2 | 0,11 | 9 | III | Class A |
| C Series-5 Single Bracket-8m | ADCS58013545T100 | AAS30020K 11460100 | 30 | 2 | 0,15 | 11,5 | III | Class A |
| New Series 2 Single Bracket-8m | ADYS28013545T125 | AAS30020K 1145050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-8m | ADYS8015050T150 | AAS35020K 1276050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Double Bracket-8m | ADYS8015050C150 | AAS35020K 1276075 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Double Bracket-7m | ADYS7013550C150 | AAS30020K 1146075 | 30 | 2 | 0,15 | 15 | I | Class A |
| Modern Style Single Bracket PR-7m | ADMS7011440T150 | AAS20015K 896050 | 30 | 3 | 0,15 | 15 | II | Class A |
| New Series Single Bracket-8m | ADYS8013545T150 | AAS30515K 1145050 | 30 | 4 | 0,15 | 15 | I | Class A |
| Basic2 Series Double Bracket PR-12m/Bracket:3000 | ADPR0130001 | AAD45025K 1398050 | 44,45 | 4 | 0,18 | 20 | II | Class A |
| Lighting Pole Double Bracket PR-130002 | ADPR0130002 | AAS40015K 1394050 | 44,45 | 4 | 0,25 | 20 | I | Class A |
| Lighting Pole Single Bracket PR-130003 | ADPR0130003 | AAS20512K 1025050 | 40,24 | 2 | 0,18 | 20 | III | Class A |
| New Series Double Bracket-8m | ADYS8015050C150 | AAS30515K 1275050 | 30 | 4 | 0,15 | 15 | I | Class A |
| Basic2 Series Double Bracket PR-10,7m/Bracket:2500 | ADBS210715050C250 | AAD40020K 1275050 | 30 | 4 | 0,15 | 15 | II | Class A |
| Basic2 Series Single Bracket PR-10,7m/Bracket:2500 | ADBS210715050T250 | AAS30015K 1275050 | 30 | 4 | 0,15 | 15 | III | Class A |
| Lighting Pole Single Bracket PR-130004 | ADPR0130004 | AAS20512K 895050 | 30 | 2 | 0,15 | 15 | II | Class A |
| Basic2 Series Single Bracket PR-8,7m/Bracket:2500 | ADBS28713545T250 | AAS25012K 1145050 | 30 | 4 | 0,15 | 15 | III | Class A |
| Modern Style Double Bracket-10m | ADMS10016060C150 | AAS30520K 1396050 | 30 | 2 | 0,15 | 15 | III | Class A |
| Twin Double Bracket-6,5m | ADID6513545C200 | AAD40015K 1144050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Double Bracket-6,5m | ADYS6513545C125 | AAS30515K 1145050 | 30 | 2 | 0,15 | 15 | I | Class A |
| Basic2 Series Single Bracket-9m/Bracket:2500 | ADBS29015050T250 | AAS30515K 1275050 | 30 | 2 | 0,15 | 15 | II | Class A |
| New Series Double Bracket-9m | ADYS9016060C150 | AAS30520K 1396050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-9m | ADYS9015050T150 | AAS30516K 12760100 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Double Bracket-10m | ADYS10016860C150 | AAS35020K 1398075 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-10m | ADYS10016060T150 | AAS35020K 1396050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series 2 Double Bracket-8m | ADYS28015050C125 | AAS30515K 1275050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series 2 Single Bracket-10m | ADYS210016060T150 | AAS30515K 1395050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series 2 Double Bracket-10m | ADYS210016060C150 | AAS35020K 13970100 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Double Bracket-8m | ADYS8015050C150 | AAS30516K 1276075 | 30 | 2 | 0,15 | 15 | I | Class A |



CERTIFICATE OF CONSTANCY OF PERFORMANCE
2344 – CPR – 0007
SYSTEM 1

| Product Series* | Types* | Anchor Leg Type | Reference Wind Velocity** (m/s) | Terrain category** | Load on the column top** | | Deflection class** | Partial load factor class |
|---|-------------------|------------------|---------------------------------|--------------------|-----------------------------|-------------|--------------------|---------------------------|
| | | | | | Wind area (m ²) | Weight (kg) | | |
| New Series Double Bracket-7m | ADYS7013545C150 | AAS30515K1145050 | 30 | 4 | 0,17 | 15 | I | Class A |
| C Series-5 Single Bracket-4,5m | ADCS54511440T100 | AAS20510K894050 | 30 | 2 | 0,25 | 15 | I | Class A |
| Basic2 Series Single Bracket-6m/Bracket:1500 | ADBS26011440T150 | AAS20510K895050 | 30 | 2 | 0,15 | 15 | II | Class A |
| Basic2 Series Single Bracket-8m/Bracket:1500 | ADBS28013545T150 | AAS25012K1144050 | 30 | 2 | 0,15 | 15 | III | Class A |
| Basic2 Series Single Bracket-10m/Bracket:1500 | ADBS210015050T150 | AAS30515K1275050 | 30 | 2 | 0,15 | 15 | III | Class A |
| New Series Double Bracket-7m | ADYS7013550C150 | AAS30515K1146060 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-7m | ADYS7013545T150 | AAS30515K1145050 | 30 | 2 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-8m | ADYS8015050T150 | AAS30515K1275050 | 30 | 2 | 0,15 | 15 | I | Class A |
| Modern Style Single Bracket-10m | ADMS10015050T150 | AAS30515K1275050 | 30 | 2 | 0,15 | 15 | II | Class A |
| New Series 2 Single Bracket-8m | ADYS28013545T125 | AAS30515K1145050 | 30 | 2 | 0,15 | 15 | I | Class A |
| Tulip Double Bracket-7m | ADLL7013545C125 | AAS25015K1145050 | 30 | 2 | 0,15 | 15 | I | Class A |
| Ballerina Double Bracket-10m | ADBL10015050C150 | AAD40016K1274050 | 30 | 3 | 0,135 | 15 | I | Class A |
| Modern Style Four Bracket-7m | ADMS7015050D150 | AAS30516K1276050 | 30 | 3 | 0,15 | 15 | I | Class A |
| New Series Single Bracket-10m | ADYS10015050T150 | AAS30516K1276075 | 30 | 4 | 0,15 | 15 | I | Class A |

*) Designations of the product series and the types are referred to according to data given in the manufacturer's drawings.

**) The manufacturer is fully responsible for data displayed on the products. He may declare different data compared to the in the upper tables, provided he has proved the data by calculations according to EN 40-3-1 and EN 40-3-3 and the calculations have been verified by the Notified Body.

placed on the market and produced in the factor by,

ASAŞ ALÜMİNYUM SANAYİ VE TİCARET A.Ş.

Head Offices

Rüzgarlı Bahçe, ASAŞ İş Merkezi
 34810 Kavacık - Beykoz
 İSTANBUL / TURKEY
 Phone: +90 (216)680-0780
 Fax : +90 (216)680-0781

Plant

Akyazı İlçesi Küçücek Beldesi
 Kışla alanı Mevkii
 SAKARYA / TURKEY
 Phone: +90 (264)462-4792
 Fax : +90 (264)462-4796



is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the approved body

2344 BvA

has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard (resp. in)

EN 40-6

This certificate remains valid with the following dates as long as the conditions laid down in the harmonized technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

| | |
|----------------------------------|--------------|
| Initial Certificate Date | : 28/06/2013 |
| Issue Date | : 18/07/2024 |
| Certification Period Expiry Date | : 19/07/2028 |
| Certificate Expiry Date | : 19/07/2025 |

